

Package: coalescentMCMC (via r-universe)

September 8, 2024

Version 0.4-4

Date 2022-04-22

Title MCMC Algorithms for the Coalescent

Depends ape, coda, lattice

Imports Matrix, phangorn, splines, stats, utils

ZipData no

Description Flexible framework for coalescent analyses in R. It includes a main function running the MCMC algorithm, auxiliary functions for tree rearrangement, and some functions to compute population genetic parameters. Extended description can be found in Paradis (2020) <[doi:10.1201/9780429466700](https://doi.org/10.1201/9780429466700)>. For details on the MCMC algorithm, see Kuhner et al. (1995) <[doi:10.1093/genetics/140.4.1421](https://doi.org/10.1093/genetics/140.4.1421)> and Drummond et al. (2002) <[doi:10.1093/genetics/161.3.1307](https://doi.org/10.1093/genetics/161.3.1307)>.

License GPL (>= 2)

NeedsCompilation yes

Author Emmanuel Paradis [aut, cre, cph]

Maintainer Emmanuel Paradis <Emmanuel.Paradis@ird.fr>

Date/Publication 2022-04-22 09:30:05 UTC

Repository <https://emmanuelparadis.r-universe.dev>

RemoteUrl <https://github.com/cran/coalescentMCMC>

RemoteRef HEAD

RemoteSha 2c49aab762f2aa4d36974419945b881c4273ddd2

Contents

coalescentMCMC	2
dcoal	4
getMCMCtrees	5
plotTHETA	6
proba.coalescent	7

sim.coalescent	8
subset.coalescentMCMC	9
treeOperators	10

Index	12
--------------	-----------

coalescentMCMC	<i>Run MCMC for Coalescent Trees</i>
----------------	--------------------------------------

Description

These are the main function of the package to run a Markov chain Monte Carlo (MCMC) to generate a set of trees which is returned with their likelihoods, the coalescent likelihoods and the respective parameter(s).

The `logLik` method returns the average log-likelihood of the coalescent model. AIC, BIC, and `anova` use this average log-likelihood.

Usage

```
coalescentMCMC(x, ntrees = 3000, model = "constant", tree0 = NULL,
               printevery = 100, degree = 1, nknots = 0,
               knot.times = NULL, moves = 1:6)
## S3 method for class 'coalescentMCMC'
logLik(object, ...)
## S3 method for class 'coalescentMCMC'
AIC(object, ..., k = 2)
## S3 method for class 'coalescentMCMC'
BIC(object, ...)
## S3 method for class 'coalescentMCMC'
anova(object, ...)
```

Arguments

<code>x</code>	a set of DNA sequences, typically an object of class "DNABin" or "phyDat".
<code>ntrees</code>	the number of trees to output.
<code>tree0</code>	the initial tree of the chain; by default, a UPGMA tree with a JC69 distance is generated.
<code>model</code>	the coalescent model to be used for resampling. By default, a constant-THETA is used.
<code>printevery</code>	an integer specifying the frequency at which to print the numbers of trees proposed and accepted; set to 0 to cancel all printings.
<code>degree, nknots, knot.times</code>	parameters used if <code>model = "splines"</code> .
<code>moves</code>	the tree moves used by the MCMC (see details).
<code>...</code>	options passed to other methods.
<code>object</code>	an object of class "coalescentMCMC".
<code>k</code>	the coefficient used to calculate the AIC (see AIC).

Details

Six tree moves are programmed and one is chosen randomly at each step of the MCMC. The steps are: (1) NeighborhoodRearrangement (Kuhner et al., 1995), (2) ScalingMove, (3) branchSwapping, (4) subtreeExchange, (5) NodeAgeMove, and (6) randomWalkThetaMu (all five from Drummond et al., 2002). In practice, it appears that in many situations moves = c(1, 3) is a good selection resulting in around 50% acceptance rate.

Value

coalescentMCMC returns an object of class c("coalescentMCMC", "coda") with the log-likelihood and the parameters of each tree.

logLik, AIC and BIC return a numeric vector.

anova return an object of class "anova".

Author(s)

Emmanuel Paradis

References

Drummond, A. J., Nicholls, G. K., Rodrigo, A. G. and Solomon, W. (2002) Estimating mutation parameters, population history and genealogy simultaneously from temporally spaced sequence data. *Genetics*, **161**, 1307–1320.

Hastings, W. K. (1970) Monte Carlo sampling methods using Markov chains and their applications. *Biometrika*, **57**, 97–109.

Kuhner, M. K., Yamato, J. and Felsenstein, J. (1995) Estimating effective population size and mutation rate from sequence data using Metropolis-Hastings sampling. *Genetics*, **140**, 1421–1430.

See Also

[getMCMCtrees](#), [dcoal](#), [treeOperators](#)

Examples

```
## Not run:  
data(woodmouse)  
out <- coalescentMCMC(woodmouse)  
plot(out)  
getMCMCtrees() # returns 3000 trees  
  
## End(Not run)
```

dcoal

*Density Functions of Some Time-Dependent Coalescent Models***Description**

These functions compute the (log-)likelihood values for various coalescent models, including the constant- Θ model and various time-dependent models.

Usage

```
dcoal(bt, theta, log = FALSE)
dcoal.step(bt, theta0, theta1, tau, log = FALSE)
dcoal.linear(bt, theta0, thetaT, log = FALSE)
dcoal.time(bt, theta0, rho, log = FALSE)
dcoal.time2(bt, theta0, rho1, rho2, tau, log = FALSE)
```

Arguments

bt	a vector of coalescent times (typically from branching.times).
theta	population parameter THETA.
log	a logical value specifying whether the probabilities should be returned log-transformed.
theta0, theta1, thetaT	THETA parameter for the time-dependent models.
tau	breakpoint in time when the parameters change.
rho, rho1, rho2	population (exponential) growth rates.

Details

The models are detailed in a vignette: `vignette("CoalescentModels")`.

Value

a numeric vector with (log-)likelihood values.

Author(s)

Emmanuel Paradis

References

- Griffiths, R. C. and Tavaré, S. (1994) Sampling theory for neutral alleles in a varying environment. *Philosophical Transactions of the Royal Society of London. Series B. Biological Sciences*, **344**, 403–410.
- Kuhner, M. K., Yamato, J. and Felsenstein, J. (1998) Maximum likelihood estimation of population growth rates based on the coalescent. *Genetics*, **149**, 429–434.

See Also

[coalescentMCMC](#), [branching.times](#)

 getMCMCtrees

Managing List of Trees From MCMC

Description

These functions help to manage trees output from MCMCs.

getMCMCtrees extracts the trees from previous MCMC runs.

saveMCMCtrees saves the lists of trees from previous runs on the user's hard disk.

cleanMCMCtrees deletes the lists of trees from previous runs (the files possibly on the hard disk are not changed).

getLastTree extracts the last tree from a list of trees (object of class "multiPhylo").

getMCMCstats returns the summary data for the different chains run during a session.

Usage

```
getMCMCtrees(chain = NULL)
saveMCMCtrees(destdir = ".", format = "RDS", ...)
cleanMCMCtrees()
getLastTree(X)
getMCMCstats()
```

Arguments

chain	an integer giving which lists of trees to extract
destdir	a character string giving the location where to save the files; by default, this is the current working directory.
format	the format of the tree files. Three choices are possible (cae-insensitive): "RDS", "Newick", "NEXUS", or any unambiguous abbreviation of these.
...	options passed to the function used to write the tree files (see below) or passed to other methods.
X	an object of class "multiPhylo".

Details

The list of trees is returned in a specific environment and can be extracted with getMCMCtrees.

saveMCMCtrees saves the files with, by default, the RDS format using [saveRDS](#). If format = "Newick", [write.tree](#) is used.; if format = "NEXUS", [write.nexus](#) is used. Options can be passed to any of these functions with ...

getLastTree(X) is a short-cut to X[[length(X)]].

Most functions from the package **coda** can also be used to analyse the MCMC outputs.

Value

getLastTree returns an object of class "phylo".
 getMCMCstats returns a data frame.

Author(s)

Emmanuel Paradis

See Also

[coalescentMCMC](#), [treeOperators](#), [subset.coalescentMCMC](#)

 plotTHETA

Plot THETA From coalescentMCMC Output

Description

This function plots the values of Θ predicted from model fitted with [coalescentMCMC](#).

Usage

```
plotTHETA(x, phy, add = FALSE, rightwards = TRUE, col = "blue",
          transparency = 50/length(phy), xlab = "Time",
          ylab = expression(Theta), ylim = NULL, x.scale = 1,
          y.scale = 1, show.present = TRUE, ...)
```

Arguments

x	an output from.
phy	an object of class "phylo" or "multiPhylo".
add	a logical value: whether to add the curves on an existing plot?
rightwards	a logical value: whether to draw the time (horizontal) axis rightwards (the default).
col	the base colour of the curves.
transparency	the degree of transparency of the curves.
xlab, ylab	character strings giving the labels for the x- and y-axes.
ylim	a numeric vector with two values giving the limits of the y-axis (useful if several curves are drawn).
x.scale	the scaling factor for the x-axis; typically, the inverse of the mutation rate.
y.scale	the scaling factor for the y-axis; typically, the inverse of twice the mutation rate.
show.present	a logical value: whether to indicate the present in italics (near the zero coordinate on the x-axis).
...	further arguments passed to plot.

Value

NULL

Author(s)

Emmanuel Paradis

See Also[coalescentMCMC](#)

proba.coalescent	<i>Probability of Coalescence</i>
------------------	-----------------------------------

Description

This function calculates the probability that two lineages coalesce out of a sample of size n in a population of size N after t generations.

Usage

```
proba.coalescent(t, N = 1e4, n = 2, exact = TRUE)
```

Arguments

t	a vector of generations (rounded to integers if needed).
N	the size of population (10,000 by default).
n	the sample size (2 by default).
exact	a logical value specifying whether exact calculation should be done or an approximation (Hudson, 1991, eq. 3).

Author(s)

Emmanuel Paradis

References

Hudson, R. R. (1991). Gene genealogies and the coalescent process. *Oxford Surveys in Evolutionary Biology*, 7, 1–44.

Examples

```
proba.coalescent(1:10)
## the approximate formula doesn't work well when n is
## not small compared to N:
proba.coalescent(1, 100, 50, exact = FALSE)
proba.coalescent(1, 100, 50)
```

 sim.coalescent

Coalescent Simulation and Visualisation

Description

This is a pedagogic function to show what is the coalescent in a simple population model with discrete generations and asexual reproduction.

Usage

```
sim.coalescent(n = 5, TIME = 50, growth.rate = NULL, N.0 = 50, N.final = 20,
               col.lin = "grey", col.coal = "blue", pch = NULL, ...)
```

Arguments

n	the sample size.
TIME	the number of generations.
growth.rate	the growth rate of the population.
N.0	the initial size of the population.
N.final	the final size of the population (i.e., at present).
col.lin	the colour used to show links of ancestry in the population.
col.coal	the colour used to show the coalescent of the n individuals.
pch	the symbol used to show individuals (none by default).
...	further arguments passed to points if pch is used.

Details

The simulation works along the following steps. The number of individuals at each generation is calculated. For each individual, a (unique) parent is randomly chosen at the previous generation. All individuals are then plotted and the ancestry lines are shown; the individuals are eventually ordered to avoid line-crossings. A sample of n individuals are randomly chosen from the last generation, and their shared ancestry is shown with thicker lines.

The first (oldest) generation is at the bottom, and the final (present) one is at the top of the plot.

The population size at each generation is determined from the four arguments: TIME, growth.rate, N.0, and N.final. At least three of them must be given by the user. If TIME is not given, its value is calculated with $\log(N.final/N.0) / growth.rate$.

This code was used to make the figures in Emerson et al. (2001).

Author(s)

Emmanuel Paradis

References

Emerson, B., Paradis, E. and Thebaud, C. (2001). Revealing the demographic histories of species using DNA sequences. *Trends in Ecology and Evolution*, **16**, 707–716.

Examples

```
sim.coalescent()  
sim.coalescent(N.0 = 20) # constant population size
```

```
subset.coalescentMCMC Subset MCMC Output
```

Description

This function helps to manipulate outputs from `coalescentMCMC`, particularly it sets the attributes correctly (unlike if you would use `[]`).

Usage

```
## S3 method for class 'coalescentMCMC'  
subset(x, burnin = 1000, thinning = 10, end = NULL, ...)
```

Arguments

<code>x</code>	an object of class "coalescentMCMC".
<code>burnin</code>	an integer: the number of generations to drop.
<code>thinning</code>	an integer: the sampling frequency.
<code>end</code>	an integer: the generations after end are removed.
<code>...</code>	(unused)

Details

This function has more or less the same effect than the standard indexing operator (`[]`). The main difference is that the attributes attached to the output from `coalescentMCMC` are not lost.

The options `end` may help to focus on one part of the MCMC (see examples).

Value

an object of class "coalescentMCMC".

Note

The default values of `burnin` and `thinning` are only indicative: it is recommended to use functions in the package `coda` to help find appropriate values (see examples).

Author(s)

Emmanuel Paradis

See Also[acfplot](#), [effectiveSize](#)**Examples**

```
## Not run:
data(woodmouse)
res <- coalescentMCMC(woodmouse, 1e6, moves = c(1, 3)) # ~ 1 hr
plot(res) # surely hard to read
plot(subset(res, end = 1e3)) # plot only the first 1000 generations

acfplot(res)
acfplot(subset(res, 1e4, 100))

## End(Not run)
```

treeOperators

Trees Operators for Running MCMC

Description

These functions provide tools for tree rearrangement to be used as operators in a MCMC run.

Usage

```
NeighborhoodRearrangement(phy, n, THETA, brtimes)
TipInterchange(phy, n)
```

Arguments

phy	a tree of class "phylo".
n	the number of tips in phy.
THETA	The estimate of Θ for phy at the node 'target'.
brtimes	the branching times of phy.

Details

NeighborhoodRearrangement performs a rearrangement as described by Kuhner et al. (1995).

TipInterchange interchanges two tips under the condition that they are not sisters.

EdgeLengthJittering alters the branch lengths by adding a random value from a uniform distribution defined by `range(phy$edge.length)` (the ultrametric nature of the tree is conserved).

Value

an object of class "phylo".

Author(s)

Emmanuel Paradis

References

Kuhner, M. K., Yamato, J. and Felsenstein, J. (1995) Estimating effective population size and mutation rate from sequence data using Metropolis-Hastings sampling. *Genetics*, **140**, 1421–1430.

See Also

[coalescentMCMC](#), [dcoal](#)

Examples

```
tr <- rcoal(10)
ts <- NeighborhoodRearrangement(tr, 10, 1, branching.times(tr))
layout(matrix(1:2, 2))
plot(tr); plot(ts)
layout(1)
```

Index

- * **datagen**
 - proba.coalescent, 7
 - sim.coalescent, 8
- * **hplot**
 - plotTHETA, 6
- * **manip**
 - getMCMCtrees, 5
 - subset.coalescentMCMC, 9
 - treeOperators, 10
- * **models**
 - coalescentMCMC, 2
 - dcoal, 4
- acfplot, 10
- AIC, 2
- AIC.coalescentMCMC (coalescentMCMC), 2
- anova.coalescentMCMC (coalescentMCMC), 2
- BIC.coalescentMCMC (coalescentMCMC), 2
- branching.times, 4, 5
- cleanMCMCtrees (getMCMCtrees), 5
- coalescentMCMC, 2, 5–7, 9, 11
- dcoal, 3, 4, 11
- effectiveSize, 10
- getLastTree (getMCMCtrees), 5
- getMCMCstats (getMCMCtrees), 5
- getMCMCtrees, 3, 5
- logLik.coalescentMCMC (coalescentMCMC), 2
- NeighborhoodRearrangement (treeOperators), 10
- plotTHETA, 6
- proba.coalescent, 7
- saveMCMCtrees (getMCMCtrees), 5
- saveRDS, 5
- sim.coalescent, 8
- subset.coalescentMCMC, 6, 9
- TipInterchange (treeOperators), 10
- treeOperators, 3, 6, 10
- write.nexus, 5
- write.tree, 5